

CLAIMS:

I/We claim:

1. An identifier label container for use in combination with a source of dynamic fluid which provides a force to apply identifier labels to an article, the container comprising:

a container with a plurality of predetermined identifier labels therein;

a discharge aperture in fluid communication with the container; and

a fluid intake aperture configured to receive the source of dynamic fluid and to direct it to the discharge aperture;

such that once the plurality of predetermined identifier labels are mixed with a base fluid to form a mixture, the mixture may be discharged through the discharge aperture.

2. An identifier label container as recited in claim 1, and wherein the container is disposed to receive dynamic fluid.

3. An identifier label container as recited in claim 1, and wherein the identifier labels are comprised of a DNA identifier.

4. An identifier label container as recited in claim 1, and which is further comprised of a base fluid mixed with the identifier labels in the container.

5. An identifier label container as recited in claim 4, and wherein the base fluid is an adhesive.

6. An identifier label container as recited in claim 1, and wherein the base fluid is paint.

7. An identifier label container as recited in claim 1, and wherein the base fluid is further comprised of a plurality of predetermined DNA particles.

8. An identifier label container as recited in claim 1, and wherein the base fluid is further comprised of a plurality of predetermined ultra violet detectable particles.

9. An identifier label container as recited in claim 1, and wherein the container is below the discharge aperture and the container has a bottom side which is conical in shape.

10. An identifier label container as recited in claim 1, and wherein the container is below the discharge aperture, and further wherein the container has a bottom side with a cross-sectional area which is less than the cross-sectional area of portions of the container above the bottom.

11. An identifier label container as recited in claim 1, and wherein the container is collapsible.

12. An identifier label container as recited in claim 1, and wherein the dynamic fluid is air.

13. An identifier label container as recited in claim 1, and further comprising a dynamic fluid conduit disposed to deliver dynamic fluid to the container.

14. An identifier label applicator for use in combination with a source of dynamic fluid, the applicator comprising:

an applicator framework;

a container operatively attached to the framework and including a plurality of predetermined identifier labels therein;

a discharge aperture in fluid communication with the container such that it may receive identifier labels from the container; and

a fluid intake aperture operative attached to the framework and configured to receive dynamic fluid and direct it to the discharge aperture; and

such that once the plurality of predetermined identifier labels are mixed with a base fluid to form a mixture, the mixture may be discharged through the discharge aperture.

15. A method for applying identifier labels to one or more articles, comprising the following steps:

providing an identifier label container for use in combination with a source of dynamic fluid, the container comprising:

a container with a plurality of predetermined identifier labels therein;

a discharge aperture in fluid communication with the container; and

Sub 4

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23

a fluid intake aperture configured to receive the source of dynamic fluid
and to direct it to the discharge aperture;

mixing the identifier labels with a base fluid to form a mixture
providing dynamic fluid through the discharge aperture; and
thereby discharging the mixture through the discharge aperture.

16. A method for applying identifier labels to one or more articles as recited
in claim 15, and further comprising the following steps of:
providing a dynamic fluid conduit disposed to deliver dynamic fluid to the
container; and
delivering dynamic fluid into the mixture, thereby causing movement of the
mixture and a mixing of the base fluid and the identifier labels.

17. A method for applying identifier labels to one or more articles as recited
in claim 15, and wherein the base fluid is an adhesive.

18. A method for applying identifier labels to one or more articles as recited
in claim 15, and wherein the base fluid is a paint.

19. A method for applying identifier labels to one or more articles as recited
in claim 15, and wherein the identifier labels are comprised of DNA identifiers.

1 20. A method for applying identifier labels to one or more articles as recited
2 in claim 15, and wherein the identifier labels are comprised of a plurality of ultra
3 violet detectable particles.

4
5 21. A method for applying identifier labels to one or more articles as recited
6 in claim 15, only wherein container is further provided with a base fluid which
7 is mixed with the plurality of predetermined identifier labels.

8
9 22. A method for applying identifier labels to one or more articles as recited
10 in claim 15, and wherein the dynamic fluid is air.

11 23. An identifier label container comprising:
12 a container with an internal cavity in which there is a pressurized mixture of a
13 plurality of predetermined identifier labels and a base fluid;
14 a discharge aperture in fluid communication with the internal cavity of the
15 container; and
16 a container valve in fluid communication with the internal cavity and which is
17 disposed to release the mixture from the internal cavity upon activation of the
18 container valve to a desired location.
19
20
21
22
23